

8000 N95

An Economical Solution for light duty or short duration applications. The basic features and lightweight construction of this style respirator make it an economical and effective choice for a variety of dusty applications over other respirators or masks.

- Two-strap design
- Adjustable nose clip
- Lightweight construction.
- Advanced Electret Media
- N95
- 20 ea/box

Part No. 8000



Available dust mask.

- 3M Dust Mask 8000
- 3M Dust Mask 8210
- 3M Dust Mask 8233
- 3M Dust Mask 8511
- 3M Dust Mask 8514
- 3M Dust Mask 8710
- 3M Dust Mask 8810
- 3M Dust Mask 8812

8210 N95

3M™ 8210 N95 has been certified by NIOSH as being at least 95% efficient at removing solid and liquid particles (excluding those containing oil). The 8210 is designed to provide quality, reliable worker protection in applications such as grinding, sanding, sawing, sweeping and bagging.

- Advanced Electret Media
- N95
- 20 ea/box

Part No. 8210



8233 N100

For those who want maximum filter efficiency in a maintenance free respirator, the 3M™ 8233 N100 has been certified by NIOSH to provide at least 99.97% filter efficiency against solid and liquid particles (excluding those containing oil). This respirator can be used when grinding, welding, working with lead, or situations where arsenic or cadmium are present up to 10X the OSHA PEL.

- Adjustable Straps
- Advanced Electret Media
- Cool Flow Exhalation Valve
- Faceseal
- N100
- 1 ea/bag

Part No. 8233



8211 N95

3M™ 8211 N95 is NIOSH certified to have at least 95% filter efficiency at removing solid and liquid particles (excluding those containing oil). Workers will appreciate the added comfort and durability found in this respirator.

- Advanced Electret Media
- Cool Flow Exhalation Valve
- Faceseal
- M-Noseclip
- N95
- 10 ea/box

Part No. 8211

Part No. 8511- Same as 8211 without Faceseal



3M™ 1100/1110 Foam Ear Plugs

Comfortable, unobtrusive, easy-to-use ear plugs won't interfere with employee day-to-day job routines.

- Tapered design conforms to ear canal.
- Smooth, dirt-resistant surface stays clean for good hygiene.
- Can be used with other personal protection equipment.
- Hypoallergenic.
- NRR 29

Part No. 1100- packed 200 pair/box; 5 boxes/case

Part No. 1110- packed 100 pair/box; 5 boxes/case



Part No. 1100



Part No. 1110

3M™ Masking Tape

Is the cost-effective choice for bundling, holding, attaching, sealing, wrapping, and masking.

- New construction strength for high holding power, the convenience of tearing by hand, and the strength for reliable bundling.
- Easy, controlled unwind from the roll.
- Instant adhesion to a wide variety of surfaces with high holding power that resists lifting and curling.
- Crepe backing conforms and seals around corners.
- Removes cleanly from most substrates for up to 24 hours.
- Temperature resistance of up to 200°F (93°C) for up to 30 minutes.
- Can be qualified to meet CID-A-A-883 Type I specification.

